

Supplemental Material

Ambient Carbon Monoxide and Fine Particulate Matter in Relation to Preeclampsia and Preterm Delivery in Western Washington State

Carole B. Rudra, Michelle A. Williams, Lianne Sheppard, Jane Q. Koenig, Melissa A. Schiff

Supplementary Table 1. Characteristics of CO and PM_{2.5} monitoring sites and monthly average concentrations (Puget Sound airshed, Washington State, 1996-2006).

Characteristic	CO (ppm)	PM _{2.5} (µg/m ³)
No. sites	15	13
No. site-months	890	803
No. daily measurements/month: mean (range)	29.6 (18-31)	29.1 (18-31)
No. monthly measurements/site: mean (range)	59.3 (4-123)	66.7 (7-124)
Monthly average concentration distribution		
Minimum	0.38	4.6
10 th percentile	0.62	7.3
25 th percentile	0.80	8.3
50 th percentile	1.08	10.0
75 th percentile	1.38	12.4
Maximum	2.64	29.9
Mean (SD)	1.12 (0.42)	10.8 (3.4)

Supplementary Figure 1. Approximate locations of study participants' residences (gray dots) and air pollutant monitoring sites (black triangles) in the Puget Sound region, Washington State, 1996-2006.

